



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/047,754	01/14/2002	Varadarajan Srinivasan	002489.P036	5133

7590 01/03/2005

Daniel E. Ovanezian  
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP  
Seventh Floor  
12400 Wilshire Boulevard  
Los Angeles, CA 90025-1026

EXAMINER
----------

ROSS, JOHN M

ART UNIT	PAPER NUMBER
----------	--------------

2188

DATE MAILED: 01/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/047,754

Applicant(s)

SRINIVASAN, VARADARAJAN

Examiner

John M Ross

Art Unit

2188

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 13 September 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-36 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 January 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Status of Claims***

1. Claim 33 is amended.

Claims 1-36 are pending in the application.

Claims 1-36 are rejected.

### ***Information Disclosure Statement***

2. The Information Disclosure Statement(s) received 13 September 2004, 27 September 2004, and 7 October 2004 have been considered. Please see attached PTO-1449(s).

### ***Response to Amendment***

3. Applicant's amendments and arguments filed on 13 September 2004 in response to the office action mailed on 11 March 2004 have been fully considered, but they are not fully persuasive. Therefore, the rejections maintained from the previous office action are restated below.

### ***Claim Rejections - 35 USC § 112***

4. The rejection of claim 8 under the first paragraph of 35 USC § 112 has been withdrawn. See "Response to Arguments" below.

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1, 4, 7, 9-10 and 29-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow (US Pub 2002/0126672) in view of Baum (US 5,619,713).

As in claim 1, Chow discloses a system comprising:

an array of CAM cells (Fig. 2, element 216);

a select circuit adapted to generate a selection criteria indicative of segments of input data provided to the system (Fig. 2, elements 204 and 206; page 4, paragraph 40); and

switch circuitry programmable to output a respective bit of the input data as a comparand bit for the array of CAM cells in response to the selection criteria (Fig. 2, element 210; page 4, paragraph 40), where it is noted that in view of the present application the terms reconfigurable and programmable are equivalent.

Chow does not teach that the selection criteria are a plurality of select signals, nor does Chow teach that the switch circuitry includes a plurality of programmable switch circuits each to output a bit in response to one of the select signals as required by claim 1.

Chow also does not explicitly teach a storage element between the switch circuits and the array of CAM cells for storing a comparand bit as required by claim 7.

Chow also does not teach a program circuit coupled to the switch circuits for programming the switch circuits as required by claim 9.

Baum teaches a crosspoint switch (i.e. crossbar) for reordering the fields of a database record that is controlled by a plurality of select signals generated by a select circuit (Fig. 17B, elements 1704, 1724 and 1725; column 30, lines 59-62; column 32, lines 16-18 and 42-48), where it readily apparent that the crosspoint switch contains a plurality of programmable switch circuits to output bytes in response to the select signals, and it is further noted that a byte comprises bits. Baum teaches that the field reordering is useful for picking subsets of fields for easier pattern matching (Column 30, lines 30-44).

Regarding claim 1, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to use the switch circuitry of Baum in the system of Chow, in order to pick subsets of fields for easier pattern matching.

Claim 4 is rejected according to the same rationale as for the rejection of claim 1 above.

Baum further teaches a storage buffer for staging the data being reordered through the switch (Fig. 17B, element 1728; column 32, lines 52-65; column 34, lines 30-34), where it is noted that buffer is coupled between the switch and the next processing stage, and that buffering of data in this manner is well known in the art as a means for pipelining operations in a system.

Regarding claim 7, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to store the data being reordered through the switch in a buffer coupled between the switch and the next processing stage (i.e. the array of CAM cells) as taught by Baum, in the system made obvious by the combination of Chow and Baum as applied to claim 1 above, in order to allow a pipelined operation of the system.

Baum also teaches a program circuit coupled to the switch circuits for programming the switch circuits in order to control the reordering of data through the switch (Fig. 17B, element 1724; column 32, lines 16-18 and 42-48).

Regarding claim 9, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to include a program circuit coupled to the switch circuits for programming the switch circuits as taught by Baum, in the system made obvious by the combination of Chow and Baum as applied to claim 1 above, in order to control the reordering of data through the switch as taught by Baum.

As in claim 10, Chow teaches that the position of a bit may change between the input data and the comparand data (Figs. 7A and 7B; page 5, paragraphs 49-51).

Claim 29 is rejected using the same rationale as for the rejection of claims 1 and 9 above, where it is noted that the program circuit of Baum (Fig. 17B, element 1724) programs the select circuit of Baum (Fig. 17B, element 1725), which in turn programs the switch (Fig. 17B, element 1704).

As to claim 30, the rationale derived from Chow and Baum in the rejection of claim 1 teaches:

receiving input data in a content addressable memory (CAM) apparatus having an array of CAM cells; and

selectively enabling programmed switch circuitry to filter at least one bit of the input data to generate at least one comparand bit for the array of CAM cells.

The combination of Chow and Baum as applied to claim 1 does not teach the following limitations as required by claim 30:

receiving a plurality of segments of input data;

receiving segment information indicative of which segment of the input data is received at any given time; and

enabling the programmed switch circuitry in response to the segment information.

Baum further teaches that a complete record of input data may be operated on sequentially by dividing the record into a number of quadwords (i.e. segments), and that the switch is enabled in response to segment information (i.e. i-counter value) indicating which segment of the input data is received at any given time (Figs. 17B, 18A-18C; column 34, lines 11-56). One skilled in the art would recognize that the sequential approach of Baum allows extraction and assembly operations to be performed on an input data record wider than the processing circuitry width, thereby trading off speed of computation for conservation of circuit area.

Regarding claim 30, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to receive a plurality of input data segments and to selectively enable the switch in response to segment information indicative of the particular segment of input data as taught by Baum, in the system of Chow and Baum as applied to claim 1 above, in order to trade off speed of computation for conservation of circuit area.

Claim 31 is rejected using the same rationale as for the rejection of claim 1 above.

As in claim 32, Chow discloses that the comparand is compared with data in the CAM (Page 4, paragraph 40), where the lookup operation in the CAM is understood to compare the input key (i.e. comparand) with data stored in the CAM.



7. Claims 2-3 and 11-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow (US Pub 2002/0126672) in view of Baum (US 5,619,713) as applied to claim 1 above, and further in view of Ninomiya (US 5,809,330).

Chow and Baum are relied upon for the teachings relative to claim 1 as above, where it is further noted that in the select circuit of Baum a counter provides input segment information to a decoder for generating the select signals to the crosspoint switch (Fig. 17B, elements 1725 and 1731; column 32, lines 59-65).

The combination of Chow and Baum does not teach that the select circuit comprises a memory element for storing programmed segment information, and a compare circuit to compare the programmed segment information with the input segment information to generate a select signal as required by claim 2.

The combination of Chow and Baum also does not teach that the memory element and compare circuit form a CAM cell as required by claim 3.

Ninomiya teaches a programmable decoder for generating select signals comprising memory elements for storing programmed information, and compare circuits to compare the programmed information with input information to generate a select signal (Fig. 4; column 9, line 59 to column 10, line 5). Ninomiya suggests that making the decoder programmable enables

Art Unit: 2188

the flexibility of changing the decoder behavior with a simple update to the stored program information (Column 3, lines 42-49).

Regarding claim 2, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to use the decoder of Ninomiya, to generate the select signals for the crosspoint switch in the system made obvious by the combination of Chow and Baum, in order to provide the flexibility of being able to change the decoding behavior as taught by Ninomiya.

Regarding claim 3, Ninomiya teaches memory elements paired with compare circuits. One of ordinary skill in the art would easily recognize that a memory element paired with a compare circuit comprises a CAM cell and therefore it would have been obvious to group these elements together in order to realize an area efficient design.

Claim 11 is rejected using the rationale as for the rejection of claim 2 above.

Claim 12 is rejected using the rationale as for the rejection of claim 4 above.

8. Claims 5-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow (US Pub 2002/0126672) in view of Baum (US 5,619,713) as applied to claim 1 above, and further in view of Reblewski (US Pub 2003/0131331).

Chow and Baum are relied upon for the teachings relative to claim 1 as above, where it is further noted that Chow teaches selecting bits individually from the input data (Figs. 7A-7B; page 5, paragraphs 49-51) while Baum teaches selecting bits as groups of bytes (Column 32, lines 42-49).

The combination of Chow and Baum does not teach an L-bit by L-bit switch with L select signals as required by claim 5.

Reblewski teaches a generic crossbar device where there is a one to one correspondence between the select signals, input data bits, output data bits (i.e. L-bit by L-bit switch with L select signals) (Figs. 1a-1b; page 1, paragraph 5, lines 1-7), where it is noted that the select signals are provided by memory elements corresponding to the switches. It is readily apparent that using a one to one correspondence between the select signals, input data bits and the output data bits enables fine-grained switching that allows manipulation of input data fields as small as one bit as taught by Chow.

Regarding claim 5, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to use a one to one correspondence between select signals, input data bits and output data bits as taught by Reblewski, in the system made obvious by the combination of Chow and Baum, in order to enable the fine-grained switching that allows manipulation of single bit data fields as taught by Chow.

The combination of Chow, Baum and Reblewski as applied to claim 5 above, does not teach that the L input data bits are one of N segments of M input bits, where M is equal to N multiplied by L as required by claim 6. However, Baum further teaches that a complete record of input data (i.e. M input bits) may be operated on sequentially by dividing the record into a number (i.e. N segments) of quadwords (i.e. L input data bits) (Figs. 17B, 18A-18C; column 34, lines 11-56). One skilled in the art would recognize that the sequential approach of Baum allows extraction and assembly operations to be performed on an input data record wider than the processing circuitry width, thereby trading off speed of computation for conservation of circuit area.

Regarding claim 6, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to divide M input bits into N segments of L input data bits as taught by Baum, in the system of Chow, Baum and Reblewski as applied to claim 5 above, in order to trade off speed of computation for conservation of circuit area.

9. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chow (US Pub 2002/0126672) in view of Baum (US 5,619,713) as applied to claim 7 above, and further in view of Gandini (US 6,169,685).

Chow and Baum are relied upon for the teachings relative to claim 7 as above.

The combination of Chow and Baum does not teach a global mask register coupled to the comparand storage element and the array of CAM cells as required by claim 8.

Gandini teaches a CAM memory where a global mask register is coupled to a comparand register and an array of CAM cells in order to indicate comparand indifference conditions (Fig. 1, elements "RE" and "MA"; column 3, lines 36-46).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to use the global mask register as taught by Gandini, in the system of Chow and Baum, in order to indicate comparand indifference conditions as taught by Gandini.

10. Claims 13, 16, 19-20, 21, 24 and 27-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow (US Pub 2002/0126672) in view of Baum (US 5,619,713) and Kansal (US 6,374,326).

The rationale derived from the combination of Chow and Baum in the rejection of claim 1 above is incorporated herein for the teaching of a system comprising:

a CAM array block having R rows of L CAM cells, where R and L are integers greater than one;

a select circuit adapted to generate a plurality of select signals each indicative of a segment of input data provided to the CAM system; and

a switch circuit including a plurality of programmable switch circuits each programmable to output a respective bit of the input data as a comparand bit for a corresponding one of the CAM array blocks in response to one of the select signals.

The combination of Chow and Baum does not teach an integer plurality of the above system as required by claim 13.

Kansal teaches an integer plurality of CAM arrays for performing concurrent lookup operations (Figs. 2 and 3; column 1, line 66 to column 2, line 13). It is noted that although Kansal shows the comparand generation as a single functional unit (Figs. 2 and 3A, element 260), Kansal teaches the generation of a unique comparand for each lookup (Column 2, lines 14-23).

Regarding claim 13, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to use a plurality of CAM lookup systems as taught by Kansal, where the CAM systems are embodied by the combination of Chow and Baum, in order to perform concurrent lookup operations as taught by Kansal.

Claim 21 is rejected using the same rationale as for the rejection of claim 13 above, further noting that Kansal teaches that the plurality of CAM arrays may be comprised of both individual CAM arrays and subdivisions of a single CAM array (Figs. 2 and 3; column 3, lines 25-58).

Claims 16 and 24 are rejected using the same rationale as for the rejection of claim 4 above.

Claims 19 and 27 are rejected using the same rationale as for the rejection of claim 9 above.

Claims 20 and 28 are rejected using the same rationale as for the rejection of claim 10 above.

11. Claims 14-15 and 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow (US Pub 2002/0126672) in view of Baum (US 5,619,713) and Kansal (US 6,374,326) as applied to claims 13 and 21 above, and further in view of Ninomiya (US 5,809,330).

Chow, Baum and Kansal are relied upon for the teachings relative to claims 13 and 21 as above.

Claims 14 and 22 are rejected using the same rationale as for the rejection of claim 2 above.

Claims 15 and 23 are rejected using the same rationale as for the rejection of claim 3 above.

12. Claims 17-18 and 25-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow (US Pub 2002/0126672) in view of Baum (US 5,619,713) and Kansal (US 6,374,326) as applied to claims 13 and 21 above, and further in view of Reblewski (US Pub 2003/0131331).

Chow, Baum and Kansal are relied upon for the teachings relative to claims 13 and 21 as above.

Claims 17 and 25 are rejected using the same rationale as for the rejection of claim 5.

Claims 18 and 26 are rejected using the same rationale as for the rejection of claim 6.

13. Claims 33-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ninomiya (US 5,809,330) in view of Lindholm (US 5,890,005).

As in claim 33, Ninomiya discloses a method comprising:

receiving first data on an input bus of a device for performing a write operation (Figs. 3 and 4, "DATA BUS"; column 9, lines 1-13); and

receiving second data on an input bus of a device for performing a compare operation (Figs. 3 and 4, "ADDRESS BUS"; column 9, lines 1-13).



The rationale derived from Ninomiya in the rejection of claim 3 above is incorporated herein for the teaching that the memory element and compare circuit pairs in Fig. 4 of Ninomiya comprise a CAM cell.

Ninomiya does not teach that the first and second data are received on the same bus as required by claim 33.

Lindholm teaches that a reduction in the number of data bus interconnections in a processing system can be reduced by multiplexing address and data information onto a single bus (Fig. 1A, element 1A; column 4, lines 43-45).

Regarding claim 33, it would have been obvious to one of ordinary skill in the art at the time of invention by applicant to multiplex the address and data on a single bus as taught by Lindholm, in the method of Ninomiya, in order to reduce the number of data bus interconnections as taught by Lindholm.

Regarding claim 34, it is readily apparent that the first and second data in the combined method of Ninomiya and Lindholm is time multiplexed, otherwise there would be contention on the bus.

As in claim 35, the first data in Ninomiya is transmitted to read/write circuitry (Fig. 4; column 9, line 59 to column 10, line 5).

As in claim 36, the second data in Ninomiya is transmitted to a filter circuit (Fig. 4; column 9, line 59 to column 10, line 5).

***Response to Arguments***

14. Applicant's arguments filed 13 September 2004 with respect to the rejection of claim 8 under the first paragraph of 35 USC § 112 have been fully considered and are persuasive.

The rejection of claim 8 under the first paragraph of 35 USC § 112 has been withdrawn. It is noted that applicant has admitted that the features of claim 8 are well known in the art.

15. Applicant's arguments filed 13 September 2004 with respect to the rejection of claims 1, 4, 7 and 9-10 under 35 USC § 103(a) have been fully considered but they are not persuasive.

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning (Page 13), it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

In response to applicant's argument that there is no suggestion to combine the references (Page 13), the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992).

Applicant has incorrectly stated that the motivation must come from within the Chow primary reference. "There are three possible sources for a motivation to combine references: the nature of the problem to be solved, the teachings of the prior art, and the knowledge of persons of ordinary skill in the art." *In re Rouffet*, 149 F.3d 1350, 1357, 47 USPQ2d 1453, 1457-58 (Fed. Cir. 1998).

As stated in the prior Office Action and restated above, the motivation to combine Baum with Chow is found in Baum: in order to pick subsets of fields for easier pattern matching (Baum, column 30, lines 30-44). Chow teaches selecting fields from input data for matching in a CAM. Baum teaches a select circuit for selecting subsets of fields from input data for easier pattern matching. Chow and Baum share a similar problem, therefore a person of ordinary skill in the art would be motivated to apply the teachings of Baum to Chow in order to gain the advantages expressed by Baum as noted above.

Applicant disagrees with the examiner's assertion that the terms reconfigurable and programmable are equivalent terms as used in the specification (Pages 13-14). In order to clarify

this reasoning, the following is a definition of the word “configure” from The American Heritage Dictionary of the English Language, Fourth Edition:

*“To design, arrange, set up, or shape with a view to specific applications or uses.”*

With reference to Fig. 6, the specification states in paragraph 53 on page 15:

*“Switch circuitry 520 includes a plurality of switch circuits, or paths (not shown), which are programmed by program circuit 522 to connect the input data bits with positions in comparand register 504.”*

Therefore, it is understood that the switch circuit is set up to provide a specific connection between the input data bits and the comparand register (i.e. the switch is set up for a specific application). In other words, the switch is configured.

Chow likewise teaches a switch that is configurable to provide specific bits from an input data to a comparand register (Fig. 2, element 210; page 4, paragraph 40). Using the equivalent terminology established in the applicant’s specification, Chow teaches a programmable switch.

Chow does indeed distinguish between the terms “reconfigurable” and “programmable,” however in the context of Chow the term “program” refers to high level language programming using complex instructions from a special programming language set (Page 2, paragraphs 13 and 14).

Therefore, the term “programmable” has a different meaning in Chow than in applicant’s specification. In applicant’s specification, the term “programmable” is synonymous with

Art Unit: 2188

“configurable,” as described above. This conclusion is further supported because Chow teaches a configurable input selection equivalent to the claimed programmable switch circuitry. In other words, Chow uses the term “configurable” to have the same meaning as the term “programmable” as used in applicant’s specification.

16. Applicant's arguments filed 13 September 2004 with respect to the rejection of claims 2-3, 5-6 and 11-32 under 35 USC § 103(a) have been fully considered but they are not persuasive.

Applicant’s arguments (Pages 14-17) are not persuasive using the same reasoning as that related to claims 1, 4-7 and 9-10 above.

17. Applicant's arguments filed 13 September 2004 with respect to the rejection of claims 33-36 under 35 USC § 103(a) have been fully considered but they are not persuasive.

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning (Page 18), it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

Art Unit: 2188

In response to applicant's argument that there is no suggestion to combine the references (Page 18), the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992).

Applicant has incorrectly stated that the motivation must come from within the Ninomiya primary reference. "There are three possible sources for a motivation to combine references: the nature of the problem to be solved, the teachings of the prior art, and the knowledge of persons of ordinary skill in the art." *In re Rouffet*, 149 F.3d 1350, 1357, 47 USPQ2d 1453, 1457-58 (Fed. Cir. 1998).

As stated in the prior Office Action and restated above, the motivation to combine Lindholm with Ninomiya is found in Lindholm: in order to reduce the number of data bus interconnections (Lindholm, column 4, lines 43-45). Ninomiya teaches a separate address and data bus. Lindholm teaches a multiplexed address and data bus that advantageously reduces the number of data bus interconnections. Therefore a person of ordinary skill in the art would be motivated to apply the teachings of Lindholm to Ninomiya in order to gain the advantages expressed by Lindholm as noted above.


Applicant disagrees with the examiner's characterization of the elements in Ninomiya as comprising a CAM cell (Pages 18-19). Applicant is directed to the examiner's reasoning given in the rejection of claim 3 in the prior office action and restated above:

*"One of ordinary skill in the art would easily recognize that a memory element paired with a compare circuit comprises a CAM cell and therefore it would have been obvious to group these elements together in order to realize an area efficient design."*

As evidence of this conclusion, applicant is referred to Guccione (Steven A. Guccione et al, "A Reconfigurable Content Addressable Memory," Springer-Verlag, 2000):

*"In addition to functioning as a standard memory device, CAMs have an additional parallel search or match mode... In this match mode, each memory cell in the array is accessed in parallel and compared to some value. If this value is found in any of the memory locations, a match signal is generated" (§ 2, paragraphs 1 and 2).*

Guccione presents a circuit diagram of a RAM versus CAM cell in Figure 1, where it is clear that the CAM circuit comprises a memory element paired with a compare circuit:



*“Figure 1 shows transistor level diagrams of both CMOS RAM and CAM circuits. The circuits are almost identical, except for the addition of the match transistors to provide parallel search capability” (§ 2, paragraph 3).*

Guccione further points out the efficiency of such a design:

*“Clearly this transistor level implementation is efficient and may be used to produce CAM circuits which are nearly as dense as comparable static RAM circuits” (§ 2, paragraph 5).*

Applicant’s arguments regarding differences between an address and data (Page 19) are not persuasive. Both an address and data can be construed as data, where the former is data representing an address, and the latter is merely unspecified or generic data.



***Conclusion***

18. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to John M Ross whose telephone number is (571) 272-4212. The examiner can normally be reached on M-F 8:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mano Padmanabhan can be reached on (571) 272-4210. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2188

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
JMR

  
12/22/04

**MANO PADMANABHAN**  
**SUPERVISORY PATENT EXAMINER**